

**ZN-R2A - DETERMINATION OF ZINC REAGENT 2A****SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****1.1 Product identifier:** ZN-R2A - DETERMINATION OF ZINC REAGENT 2A

sodium hydroxide

CAS: 1310-73-2

EC: 215-185-5

Index: 011-002-00-6

REACH: 01-2119457892-27-XXXX

**Other means of identification:**

Not relevant

**1.2 Relevant identified uses of the substance or mixture and uses advised against:**

Relevant uses: Used in Spectrophotometry. For industrial user only.

Uses advised against: All uses not specified in this section or in section 7.3

**1.3 Details of the supplier of the safety data sheet:**

3S Analyzers Srl  
Via Molino Nuovo 12  
16036 Avegno - Ge - Italy  
Phone: +390185799024  
SDS@3s-analyzers.eu  
www.3s-analyzers.eu

**1.4 Emergency telephone number:****SECTION 2: HAZARDS IDENTIFICATION****2.1 Classification of the substance or mixture:****CLP Regulation (EC) No 1272/2008:**

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Skin Corr. 1A: Skin corrosion, Category 1A, H314

**2.2 Label elements:****CLP Regulation (EC) No 1272/2008:****Danger****Hazard statements:**

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

**Precautionary statements:**

P260: Do not breathe dust

P264: Wash thoroughly after handling.

P280: Wear protective gloves/face protection/protective clothing/protective footwear.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a poison center/doctor.

**2.3 Other hazards:**

Product does not meet PBT/vPvB criteria

Endocrine-disrupting properties: The product does not meet the criteria.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.1 Substance:****Chemical description:** Mixture of substances

- CONTINUED ON NEXT PAGE -

# Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

## ZN-R2A - DETERMINATION OF ZINC REAGENT 2A

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

#### Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

| Identification   | Chemical name/Classification   | Concentration         |
|--|--|-----------------------|
| CAS: 1310-73-2<br>EC: 215-185-5<br>Index: 011-002-00-6<br>REACH: 01-2119457892-27-XXXX | <b>sodium hydroxide</b> ATP CLP00<br>Regulation 1272/2008 Skin Corr. 1A: H314 - Danger | <b>75 - &lt;100 %</b> |

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

#### Other information:

| Identification                                      | Specific concentration limit   |
|---|--|
| sodium hydroxide<br>CAS: 1310-73-2<br>EC: 215-185-5 | % (w/w) >=5: Skin Corr. 1A - H314<br>2<= % (w/w) <5: Skin Corr. 1B - H314<br>0,5<= % (w/w) <2: Skin Irrit. 2 - H315<br>% (w/w) >=2: Eye Dam. 1 - H318<br>0,5<= % (w/w) <2: Eye Irrit. 2 - H319 |

#### 3.2 Mixture:

Non-applicable

### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures:

Request medical assistance immediately, showing the SDS of this product.

##### By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

##### By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

##### By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

##### By ingestion/aspiration:

Request immediate medical assistance, showing the SDS of this product. Do not induce vomiting, because its expulsion from the stomach can be hazardous to the mucus of the main digestive tract, and also risk damage to the respiratory system through inhalation. Rinse out the mouth and throat, as they may have been affected during ingestion. In the case of loss of consciousness do not administer anything orally unless supervised by a doctor. Keep the person affected at rest.

#### 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

#### 4.3 Indication of any immediate medical attention and special treatment needed:

Not relevant

### SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media:

##### Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

##### Unsuitable extinguishing media:

- CONTINUED ON NEXT PAGE -

**ZN-R2A - DETERMINATION OF ZINC REAGENT 2A****SECTION 5: FIREFIGHTING MEASURES (continued)**

Non-applicable

**5.2 Special hazards arising from the substance or mixture:**

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

**5.3 Advice for firefighters:**

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

**Additional provisions:**

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

**SECTION 6: ACCIDENTAL RELEASE MEASURES****6.1 Personal precautions, protective equipment and emergency procedures:****For non-emergency personnel:**

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

**For emergency responders:**

Wear protective equipment. Keep unprotected persons away. See section 8.

**6.2 Environmental precautions:**

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

**6.3 Methods and material for containment and cleaning up:**

It is recommended:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

**6.4 Reference to other sections:**

See sections 8 and 13.

**SECTION 7: HANDLING AND STORAGE****7.1 Precautions for safe handling:****A.- General precautions for safe use**

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

**B.- Technical recommendations for the prevention of fires and explosions**

Due to its non-flammable nature, the product does not present a fire risk under normal conditions of storage, handling and use.

**C.- Technical recommendations on general occupational hygiene**

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

**D.- Technical recommendations to prevent environmental risks**

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

**7.2 Conditions for safe storage, including any incompatibilities:****A.- Technical measures for storage**

Minimum Temp.: 5 °C

Maximum Temp.: 20 °C

**B.- General conditions for storage**

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

**7.3 Specific end use(s):**

- CONTINUED ON NEXT PAGE -

# Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

## ZN-R2A - DETERMINATION OF ZINC REAGENT 2A

### SECTION 7: HANDLING AND STORAGE (continued)

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Nuisance dust: Inhalable dust 10 mg/m<sup>3</sup> // Respirable dust 4 mg/m<sup>3</sup>

#### DNEL (Workers):

| Identification                                      |            | Short exposure |              | Long exposure |                     |
|---|------------|----------------|--------------|---------------|---------------------|
|   |            | Systemic       | Local        | Systemic      | Local               |
| sodium hydroxide<br>CAS: 1310-73-2<br>EC: 215-185-5 | Oral       | Not relevant   | Not relevant | Not relevant  | Not relevant        |
|   | Dermal     | Not relevant   | Not relevant | Not relevant  | Not relevant        |
|   | Inhalation | Not relevant   | Not relevant | Not relevant  | 1 mg/m <sup>3</sup> |

#### DNEL (General population):

| Identification                                      |            | Short exposure |              | Long exposure |                     |
|---|------------|----------------|--------------|---------------|---------------------|
|   |            | Systemic       | Local        | Systemic      | Local               |
| sodium hydroxide<br>CAS: 1310-73-2<br>EC: 215-185-5 | Oral       | Not relevant   | Not relevant | Not relevant  | Not relevant        |
|   | Dermal     | Not relevant   | Not relevant | Not relevant  | Not relevant        |
|   | Inhalation | Not relevant   | Not relevant | Not relevant  | 1 mg/m <sup>3</sup> |

#### PNEC:

Not relevant

#### 8.2 Exposure controls:



A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.



B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

| Pictogram  | PPE                                       | Labelling  | CEN Standard  | Remarks  |
|--|---|--|---|--|
| <br>Mandatory hand protection | NON-disposable chemical protective gloves | <br>CAT III | EN ISO 374-1:2016+A1:2018<br>EN 16523-1:2015+A1:2018<br>EN ISO 21420:2020 | The Breakthrough Time indicated by the manufacturer must exceed the period during which the product is being used. Do not use protective creams after the product has come into contact with skin. |

D.- Eye and face protection

| Pictogram  | PPE         | Labelling   | CEN Standard  | Remarks   |
|--|-------------|---|---|---|
| <br>Mandatory face protection | Face shield | <br>CAT II | EN 166:2002<br>EN 167:2002<br>EN 168:2002<br>EN ISO 4007:2018 | Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. |

E.- Body protection





- CONTINUED ON NEXT PAGE -

## Safety data sheet



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

### ZN-R2A - DETERMINATION OF ZINC REAGENT 2A

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

| Pictogram   | PPE   | Labelling  | CEN Standard   | Remarks   |
|---|---|--|--|---|
| <br>Mandatory complete body protection | Disposable clothing for protection against chemical risks | <br>CAT III | EN 13034:2005+A1:2009<br>EN 168:2002<br>EN ISO 13982-1:2004/A1:2010<br>EN ISO 6529:2013<br>EN ISO 6530:2005<br>EN 464:1994 | For professional use only. Clean periodically according to the manufacturer's instructions. |
| <br>Mandatory foot protection          | Safety footwear for protection against chemical risk      | <br>CAT III | EN ISO 20345:2011<br>EN 13832-1:2019   | Replace boots at any sign of deterioration.   |

#### F.- Additional emergency measures

| Emergency measure   | Standards                                       | Emergency measure  | Standards                                      |
|---|---|--|--|
| <br>Emergency shower | ANSI Z358-1<br>ISO 3864-1:2011, ISO 3864-4:2011 | <br>Eyewash stations | DIN 12 899<br>ISO 3864-1:2011, ISO 3864-4:2011 |

#### Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

#### Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:

|                           |                             |
|---------------------------|-----------------------------|
| V.O.C. (Supply):          | 0 % weight                  |
| V.O.C. density at 20 °C:  | 0 kg/m <sup>3</sup> (0 g/L) |
| Average carbon number:    | Not relevant                |
| Average molecular weight: | Not relevant                |

#### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

##### 9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

##### Appearance:

|                          |                |
|--------------------------|----------------|
| Physical state at 20 °C: | Solid          |
| Appearance:              | Not available  |
| Colour:                  | Not available  |
| Odour:                   | Not available  |
| Odour threshold:         | Not relevant * |

##### Volatility:

|  |                |
|--|----------------|
| Boiling point at atmospheric pressure: | 1390 °C        |
| Vapour pressure at 20 °C:              | Not relevant * |
| Vapour pressure at 50 °C:              | Not relevant * |
| Evaporation rate at 20 °C:             | Not relevant * |

##### Product description:

|                               |                        |
|-------------------------------|------------------------|
| Density at 20 °C:             | 2100 kg/m <sup>3</sup> |
| Relative density at 20 °C:    | 2,1                    |
| Dynamic viscosity at 20 °C:   | Not relevant *         |
| Kinematic viscosity at 20 °C: | Not relevant *         |
| Kinematic viscosity at 40 °C: | Not relevant *         |

\*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

**ZN-R2A - DETERMINATION OF ZINC REAGENT 2A****SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)**

|  |                |
|--|----------------|
| Concentration:                               | Not relevant * |
| pH:  | Not relevant * |
| Vapour density at 20 °C:                     | Not relevant * |
| Partition coefficient n-octanol/water 20 °C: | Not relevant * |
| Solubility in water at 20 °C:                | Not relevant * |
| Solubility properties:                       | Not relevant * |
| Decomposition temperature:                   | Not relevant * |
| Melting point/freezing point:                | 323 °C         |

**Flammability:**

|                            |                |
|----------------------------|----------------|
| Flash Point:               | Non-applicable |
| Flammability (solid, gas): | Not relevant * |
| Autoignition temperature:  | Not relevant * |
| Lower flammability limit:  | Not relevant * |
| Upper flammability limit:  | Not relevant * |

**Explosive (Solid):**

|                        |                |
|------------------------|----------------|
| Lower explosive limit: | Not relevant * |
| Upper explosive limit: | Not relevant * |

**Particle characteristics:**

|                             |                |
|-----------------------------|----------------|
| Median equivalent diameter: | Not relevant * |
|-----------------------------|----------------|

**9.2 Other information:****Information with regard to physical hazard classes:**

|  |                |
|--|----------------|
| Explosive properties:  | Not relevant * |
| Oxidising properties:  | Not relevant * |
| Corrosive to metals:   | Not relevant * |
| Heat of combustion:  | Not relevant * |
| Aerosols-total percentage (by mass) of flammable components: | Not relevant * |

**Other safety characteristics:**

|                           |                |
|---------------------------|----------------|
| Surface tension at 20 °C: | Not relevant * |
| Refraction index:         | Not relevant * |

\*Not relevant due to the nature of the product, not providing information property of its hazards.

**SECTION 10: STABILITY AND REACTIVITY****10.1 Reactivity:**

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

**10.2 Chemical stability:**

Chemically stable under the indicated conditions of storage, handling and use.

**10.3 Possibility of hazardous reactions:**

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

**10.4 Conditions to avoid:**

Applicable for handling and storage at room temperature:

| Shock and friction | Contact with air | Increase in temperature | Sunlight       | Humidity       |
|--------------------|------------------|-------------------------|----------------|----------------|
| Not applicable     | Not applicable   | Not applicable          | Not applicable | Not applicable |

**10.5 Incompatible materials:**

| Acids               | Water               | Oxidising materials | Combustible materials | Others                        |
|---------------------|---------------------|---------------------|-----------------------|-------------------------------|
| Can react violently | Can react violently | Precaution          | Not applicable        | Avoid alkalis or strong bases |

- CONTINUED ON NEXT PAGE -

**ZN-R2A - DETERMINATION OF ZINC REAGENT 2A****SECTION 10: STABILITY AND REACTIVITY (continued)****10.6 Hazardous decomposition products:**

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds.

**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:**

The experimental information related to the toxicological properties of the product itself is not available

**Dangerous health implications:**

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

**A- Ingestion (acute effect):**

- Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
- Corrosivity/Irritability: Corrosive product, if it is swallowed causes burns destroying the tissues. For more information about secondary effects from skin contact see section 2.

**B- Inhalation (acute effect):**

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract

**C- Contact with the skin and the eyes (acute effect):**

- Contact with the skin: Above all, skin contact may occur as fabrics of all thicknesses can be destroyed, resulting in burns. For more information on the secondary effects see section 2.
- Contact with the eyes: Produces serious eye damage after contact.

**D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):**

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.  
IARC: Not relevant
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**E- Sensitizing effects:**

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**F- Specific target organ toxicity (STOT) - single exposure:**

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**G- Specific target organ toxicity (STOT)-repeated exposure:**

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**H- Aspiration hazard:**

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**Other information:**

Not relevant

**Specific toxicology information on the substances:**

- CONTINUED ON NEXT PAGE -

**ZN-R2A - DETERMINATION OF ZINC REAGENT 2A****SECTION 11: TOXICOLOGICAL INFORMATION (continued)**

Not available

**11.2 Information on other hazards:****Endocrine disrupting properties**

Endocrine-disrupting properties: The product does not meet the criteria.

**Other information**

Not relevant

**SECTION 12: ECOLOGICAL INFORMATION**

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**12.1 Toxicity:****Product-specific aquatic toxicity:**

| Acute toxicity |                 | Species        | Genus      |
|----------------|-----------------|----------------|------------|
| LC50           | 189 mg/L (96 h) | Non-applicable | Fish       |
| EC50           | 33 mg/L (48 h)  | Non-applicable | Crustacean |

**Substance-specific aquatic toxicity:****Acute toxicity:**

| Identification                                      | Concentration |                 | Species         | Genus      |
|---|---------------|-----------------|-----------------|------------|
| sodium hydroxide<br>CAS: 1310-73-2<br>EC: 215-185-5 | LC50          | 189 mg/L (48 h) | Leuciscus idus  | Fish       |
|   | EC50          | 33 mg/L         | Crangon crangon | Crustacean |
|   | EC50          | Not relevant    |                 |            |

**12.2 Persistence and degradability:**

Not available

**12.3 Bioaccumulative potential:**

Not available

**12.4 Mobility in soil:**

Not available

**12.5 Results of PBT and vPvB assessment:**

Product does not meet PBT/vPvB criteria

**12.6 Endocrine disrupting properties:**

Endocrine-disrupting properties: The product does not meet the criteria.

**12.7 Other adverse effects:**

Not described

**SECTION 13: DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods:**

| Code      | Description  | Waste class (Regulation (EU) No 1357/2014) |
|-----------|--|--|
| 16 05 06* | laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals | Hazardous                                  |

**Type of waste (Regulation (EU) No 1357/2014):**

HP8 Corrosive

**Waste management (disposal and evaluation):**

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

- CONTINUED ON NEXT PAGE -

**ZN-R2A - DETERMINATION OF ZINC REAGENT 2A****SECTION 13: DISPOSAL CONSIDERATIONS (continued)****Regulations related to waste management:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

**SECTION 14: TRANSPORT INFORMATION****Transport of dangerous goods by land:**

With regard to ADR 2023 and RID 2023:



- |  |                         |
|--|-------------------------|
| <b>14.1 UN number or ID number:</b>                                  | UN1823                  |
| <b>14.2 UN proper shipping name:</b>                                 | SODIUM HYDROXIDE, SOLID |
| <b>14.3 Transport hazard class(es):</b>                              | 8                       |
| Labels:  | 8                       |
| <b>14.4 Packing group:</b>   | II                      |
| <b>14.5 Environmental hazards:</b>                                   | No                      |
| <b>14.6 Special precautions for user</b>                             |                         |
| Special regulations:   | Not relevant            |
| Tunnel restriction code:   | E                       |
| Physico-Chemical properties:   | see section 9           |
| Limited quantities:  | 1 kg                    |
| <b>14.7 Maritime transport in bulk according to IMO instruments:</b> | Not relevant            |

**Transport of dangerous goods by sea:**

With regard to IMDG 41-22:



- |  |                         |
|--|-------------------------|
| <b>14.1 UN number or ID number:</b>                                  | UN1823                  |
| <b>14.2 UN proper shipping name:</b>                                 | SODIUM HYDROXIDE, SOLID |
| <b>14.3 Transport hazard class(es):</b>                              | 8                       |
| Labels:  | 8                       |
| <b>14.4 Packing group:</b>   | II                      |
| <b>14.5 Marine pollutant:</b>  | No                      |
| <b>14.6 Special precautions for user</b>                             |                         |
| Special regulations:   | Not relevant            |
| EmS Codes:   | F-A, S-B                |
| Physico-Chemical properties:   | see section 9           |
| Limited quantities:  | 1 kg                    |
| Segregation group:   | SGG18                   |
| <b>14.7 Maritime transport in bulk according to IMO instruments:</b> | Not relevant            |

**Transport of dangerous goods by air:**

With regard to IATA/ICAO 2024:



- |  |                         |
|--|-------------------------|
| <b>14.1 UN number or ID number:</b>                                  | UN1823                  |
| <b>14.2 UN proper shipping name:</b>                                 | SODIUM HYDROXIDE, SOLID |
| <b>14.3 Transport hazard class(es):</b>                              | 8                       |
| Labels:  | 8                       |
| <b>14.4 Packing group:</b>   | II                      |
| <b>14.5 Environmental hazards:</b>                                   | No                      |
| <b>14.6 Special precautions for user</b>                             |                         |
| Physico-Chemical properties:   | see section 9           |
| <b>14.7 Maritime transport in bulk according to IMO instruments:</b> | Not relevant            |

- CONTINUED ON NEXT PAGE -

**ZN-R2A - DETERMINATION OF ZINC REAGENT 2A****SECTION 15: REGULATORY INFORMATION****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:**

- Article 95, REGULATION (EU) No 528/2012: Not relevant
- Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Not relevant
- Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Not relevant
- REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Not relevant
- Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Not relevant

**Seveso III:**

Not relevant

**Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):**

Not relevant

**Specific provisions in terms of protecting people or the environment:**

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

**Other legislation:**

The product could be affected by sectorial legislation

**15.2 Chemical safety assessment:**

The supplier has not carried out evaluation of chemical safety.

**SECTION 16: OTHER INFORMATION****Legislation related to safety data sheets:**

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

**Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:**

Not relevant

**Texts of the legislative phrases mentioned in section 2:**

H314: Causes severe skin burns and eye damage.

**Texts of the legislative phrases mentioned in section 3:**

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

**CLP Regulation (EC) No 1272/2008:**

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

**Advice related to training:**

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

**Principal bibliographical sources:**

<http://echa.europa.eu>  
<http://eur-lex.europa.eu>

**Abbreviations and acronyms:**

ADR: European agreement concerning the international carriage of dangerous goods by road  
 IMDG: International maritime dangerous goods code  
 IATA: International Air Transport Association  
 ICAO: International Civil Aviation Organisation  
 COD: Chemical Oxygen Demand  
 BOD5: 5day biochemical oxygen demand  
 BCF: Bioconcentration factor  
 LD50: Lethal Dose 50  
 LC50: Lethal Concentration 50  
 EC50: Effective concentration 50  
 LogPOW: Octanolwater partition coefficient  
 Koc: Partition coefficient of organic carbon  
 UFI: unique formula identifier  
 IARC: International Agency for Research on Cancer

- CONTINUED ON NEXT PAGE -

## Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

### **ZN-R2A - DETERMINATION OF ZINC REAGENT 2A**

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -